

GROW FORCE : FERTILISER PRODUCT LIST

Standard Blends - Incitec Pivot QLD					Analysis %							
Product	N	P	K	S	Ca	Mg	Zn	Cu	Fe	B	Mo	Mn
GF 301	13.2	14.7	13.2	1.2	-	-	-	-	-	-	-	-
GF 302	11.2	12.4	19.0	1.1	-	-	-	-	-	-	-	-
GF 303	15.4	3.0	11.0	15.4	-	-	-	-	-	-	-	-
GF 304	12.0	11.7	17.0	2.8	-	-	-	-	-	-	-	-
GF 305	11.9	4.4	19.2	9.9	-	-	-	-	-	-	-	-
GF 306	5.3	5.8	5.0	13.2	12.8	-	-	-	-	-	-	-
GF 307	11.9	5.4	19.0	8.9	-	-	-	-	-	-	-	-
GF 310	8.0	9.0	8.5	10.1	6.5	-	-	-	-	-	-	-
GF 312	8.1	10.6	10.0	7.8	4.5	-	-	-	-	-	-	-
GF 321	6.5	14.1	-	8.6	10.2	-	-	-	-	-	-	-
GF 350**	12.1	17.3	-	6.6	-	-	-	-	-	-	-	-
GF 351	12.0	9.8	17.8	4.6	-	-	-	-	-	-	-	-
GF 352	11.5	3.2	20.8	10.5	-	-	-	-	-	-	-	-
GF 353	5.3	6.4	1.8	14.0	14.1	-	-	-	-	-	-	-
GF 354	-	14.4	15.0	1.0	10.5	-	-	-	-	-	-	-
GF 358	-	8.5	-	10.8	18.8	-	0.88	0.94	-	-	-	-
GF 363	9.5	7.5	20.0	5.4	-	-	3.0	-	-	-	-	-
GF 364	12.7	10.9	15.0	4.6	-	-	0.44	-	-	-	-	-
GF 365	13.0	14.4	11.1	2.2	-	-	2.0	-	-	-	-	-
GF 366	18.9	11.8	-	10.8	-	-	-	-	-	-	-	-
GF 367**	14.2	12.9	-	11.0	-	-	-	-	-	-	-	-
GF 369*	11.1	12.4	8.6	6.1	-	-	2.5	2.5	-	-	-	-
GF 401	9.1	6.9	25.5	4.1	-	-	-	-	-	-	-	-
GF 402	6.5	6.1	32.2	1.7	-	-	-	-	-	-	-	-
GF 403	8.2	9.1	27.2	0.8	-	-	-	-	-	-	-	-
GF 404	4.5	5.0	37.5	-	-	-	-	-	-	-	-	-
GF 405	30.0	9.8	-	3.0	-	-	-	-	-	-	-	-
GF 406	10.2	3.3	6.8	16.0	7.2	-	-	-	-	-	-	-
GF 407	10.0	1.6	24.8	10.3	-	-	-	-	-	-	-	-
GF 410	4.0	8.7	19.0	5.4	6.3	-	-	-	-	-	-	-
GF 411	-	6.1	16.5	7.4	13.4	-	-	-	-	-	-	-

Product	N	P	K	S	Ca	Mg	Zn	Cu	Fe	B	Mo	Mn
GF 560	25.0	2.7	14.8	3.6	-	-	-	-	-	-	-	-
GF 562	37.2	3.6	-	3.8	-	-	-	-	-	-	-	-
GF 564	36.0	1.2	6.8	2.0	-	-	-	-	-	-	-	-
GF 565	36.8	-	10.0	-	-	-	-	-	-	-	-	-
GF 567	33.1	-	-	12.0	-	-	-	-	-	-	-	-
GF 571	35.2	-	7.5	3.6	-	-	-	-	-	-	-	-
GF 572	35.7	-	-	9.6	-	-	-	-	-	-	-	-
GF 573	31.7	2.8	8.2	2.9	-	-	-	-	-	-	-	-
GF 581	31.8	5.2	7.5	-	-	-	-	-	-	-	-	-
GF 582	29.1	5.0	7.5	3.2	-	-	-	-	-	-	-	-
GF 584	18.4	1.8	27.2	-	-	-	-	-	-	-	-	-
GF 585	26.4	3.4	12.5	3.4	-	-	-	-	-	-	-	-
GF 586	31.1	1.6	10.2	3.1	-	-	-	-	-	-	-	-
GF 588	32.8	-	11.0	2.8	-	-	-	-	-	-	-	-

* K source is Sulphate of Potash ** P source is MAP

CAN Blends - Incitec Pivot QLD

Analysis %

Product	N	P	K	S	Ca	Mg	Zn	Cu	Fe	B	Mo	Mn
CAN 655	13.5	-	25.0	-	4.0	-	-	-	-	-	-	-
CAN 660	16.7	2.0	17.5	-	4.4	-	-	-	-	-	-	-
CAN 668	18.2	1.6	13.5	3.0	4.2	-	-	-	-	-	-	-
CAN 677	20.2	12.0	-	5.8	1.6	-	-	-	-	-	-	-

Primary Nitrogen source is CAN (Calcium Ammonium Nitrate)

* K source is Sulphate of Potash

CAN-S Blends - Incitec Pivot QLD

Analysis %

Product	N	P	K	S	Ca	Mg	Zn	Cu	Fe	B	Mo	Mn
CAN-S	23.9	-	-	10.8	4.4	-	-	-	-	-	-	-
CAN-S 716	20.6	3.0	7.5	3.8	4.4	-	-	-	-	-	-	-
CAN-S 730	18.8	1.0	12.5	3.7	4.4	-	-	-	-	-	-	-
CAN-S 740	18.7	2.0	12.5	2.6	4.4	-	-	-	-	-	-	-
CAN-S 750	18.6	3.0	12.5	1.4	4.4	-	-	-	-	-	-	-
CAN-S 760	19.7	2.0	10.0	3.8	4.4	-	-	-	-	-	-	-
CAN-S 765	18.9	-	12.5	4.8	4.4	-	-	-	-	-	-	-
CAN-S 771	17.9	-	15.0	3.6	4.4	-	-	-	-	-	-	-

Straights & Misc. - Incitec Pivot Qld							Analysis %					
Product	N	P	K	S	Ca	Mg	Zn	Cu	Fe	B	Mo	Mn
Flowfeed N46	46	-	-	-	-	-	-	-	-	-	-	-
GF CAN (Calcium Ammonium Nitrate)	27.0	-	-	-	8.0	-	-	-	-	-	-	-
GF DAP	18.0	20.0	-	1.6	-	-	-	-	-	-	-	-
GF Triple Super	-	20.7	-	1.4	15.0	-	-	-	-	-	-	-
GF MAP	10.0	21.9	-	1.5	-	-	-	-	-	-	-	-
GF Muriate of Potash	-	-	50.0	-	-	-	-	-	-	-	-	-
GF Stockfeed Urea	46.0	-	-	-	-	-	-	-	-	-	-	-
GF Sulphate of Ammonia	20.2	-	-	24.0	-	-	-	-	-	-	-	-
GF Sulphate of Potash	-	-	41.0	18.0	-	-	-	-	-	-	-	-
GF Super	-	8.8	-	11.0	20.0	-	-	-	-	-	-	-
GF Super Mo 250 (Ex Bris. & Cairns)	-	8.8	-	11.0	20.0	-	-	-	-	-	0.025	-
GF Urea Granular	46.0	-	-	-	-	-	-	-	-	-	-	-
Incitec Pivot Easy ATS (Analysis is w	16.0	-	-	34.0	-	-	-	-	-	-	-	-
Incitec Pivot Easy Cal (Analysis is w/	12.6	-	-	-	18.1	-	-	-	-	-	-	-
Incitec Pivot Easy KS (Analysis is w/	-	-	30.0	25.0	-	-	-	-	-	-	-	-
Incitec Pivot Easy N (Analysis is w/v)	42.5	-	-	-	-	-	-	-	-	-	-	-
Incitec Pivot Easy PK (Analysis is w/	1.0	12.0	24.0	-	-	-	-	-	-	-	-	-
Incitec Pivot Prilled Potassium Nitrat	13.2	-	38.2	-	-	-	-	-	-	-	-	-
Incitec Pivot Stockfeed Sulfur	-	-	-	98.8	-	-	-	-	-	-	-	-
BASF Nitrophoska Blue Special	12.0	5.2	14.1	6.0	4.3	1.2	0.01	-	0.05	0.02	-	-
Incitec Pivot Supplementary Product List							Analysis %					
Incitec Pivot Name	N	P	K	S	Ca	Mg	Zn	Cu	Fe	B	Mo	Mn
Incitec Pivot Liquifert K	-	-	50.0	-	-	-	-	-	-	-	-	-
Incitec Pivot Liquifert K Nitrate	13.0	-	38.3	-	-	-	-	-	-	-	-	-
Incitec Pivot Liquifert K Spray	-	-	42.0	18.0	-	-	-	-	-	-	-	-
Incitec Pivot Liquifert Lo-Bi	46.0	-	-	-	-	-	-	-	-	-	-	-
Incitec Pivot Liquifert Mag	-	-	-	12.4	-	9.6	-	-	-	-	-	-
Incitec Pivot Liquifert MKP	-	22.5	28.0	-	-	-	-	-	-	-	-	-
Incitec Pivot Liquifert P	12.0	26.6	-	-	-	-	-	-	-	-	-	-
Incitec Pivot Liquifert Zinc	-	-	-	10.5	-	-	22.0	-	-	-	-	-

Incitec Pivot Supplementary Product List										Analysis %		
Incitec Pivot Name	N	P	K	S	Ca	Mg	<i>Zn</i>	<i>Cu</i>	<i>Fe</i>	<i>B</i>	<i>Mo</i>	<i>Mn</i>
Incitec Pivot Liquifert Balance	20.6	8.5	16.0	-	-	-	0.01	0.01	0.1	0.03	0.004	0.05
Incitec Pivot Liquifert Diamond	24.6	4.0	18.2	-		0.01	0.02	0.01	11.0	0.01	0.001	0.01
Incitec Pivot Liquifert Emerald	9.5	19.3	12.0	-	-	-	0.25	-	-	-	-	-
Incitec Pivot Liquifert Topaz	13.2	4.0	32.1	-	-	-	0.03	-	-	0.02	-	-
Yara Calcinit	15.5	-	-	-	19.0	-	-	-	-	-	-	-
Solubor	-	-	-	-	-	-	-	-	-	20.5	-	-
Granomag AL7	-	-	-	-	-	54.0	-	-	-	-	-	-
Granubor	-	-	-	-	-	-	-	-	-	15.0	-	-
Manganese Sulfate	-	-	-	18.0	-	-	-	-	-	-	-	31.0
Zinc Sulfate Monohydrate	-	-	-	17.2	-	-	35.0	-	-	-	-	-
Sulfate of Ammonia (Crystalline)	20.5	-	-	24.0	-	-	-	-	-	-	-	-
Phosphogypsum	-	-	-	14.5	18.5	-	-	-	-	-	-	-